

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### Product Identification

Product Name: EraPerm  
Product Number: pails, drums, totes  
Chemical Name: Siliconized Wall Coating  
CAS Number: Blend

### Company Identification

ERSystems - Elastomeric Roofing Systems, Inc  
6900 Bleck Dr  
Rockford, MN 55373 USA  
1-800-403-7747 (For product information)  
1-800-535-5053 Infotrac (For emergencies)

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

### COMPONENT LISTING:

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
SILOXANES AND SILICONES, DI-ME, [[[3-[(2-AMINOETH	< 1.0 %	71750-80-6
POLYETHYLENE GLYCOL, ISOTRIDECYL ETHER	< 1.0 %	9043-30-5

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

## 3. HAZARDS IDENTIFICATION

```

***** EMERGENCY OVERVIEW *****
*
* CAUTION
*
* Prolonged or repeated contact may cause skin or eye
* irritation. May be harmful if swallowed.
*
*****

```





(section 5 continued)

**FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

**EXTINGUISHING MEDIA:**

Water, carbon dioxide, foam or dry powder.

**FIRE & EXPLOSION HAZARDS:**

No known unusual hazards in a fire/explosion situation.

**FIRE FIGHTING INSTRUCTIONS:**

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**SAFEGUARDS (PERSONNEL):**

Wear safety goggles. Wear appropriate personal protective equipment.

**INITIAL CONTAINMENT:**

Contain spilled material. Absorb spills with inert material.

**LARGE SPILLS PROCEDURE:**

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.

**7. HANDLING AND STORAGE**

**RECOMMENDED STORAGE TEMPERATURE**

Minimum: 15.6 C (60.1 F)

Maximum: 26.7 C (80.1 F)

**SHELF LIFE: (in original, sealed containers)**

8 months @ 26.7 C

**HANDLING (PERSONNEL):**

Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling.

**HANDLING (PHYSICAL ASPECTS):**

Agitate containers before use. Keep from freezing. Keep out of reach of children.



(section 7 continued)

**STORAGE PRECAUTIONS:**

Avoid extreme temperatures. Keep container closed when not in use. Store in a cool dry place.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**EYE / FACE PROTECTION REQUIREMENTS:**

Wear safety glasses. A respiratory protection program that meets OSHA's 29 CFR 1910-134 and ANSI Z88-2 requirements must be followed whenever workplace conditions warrant a respirator's use.

**SKIN PROTECTION REQUIREMENTS:**

Selection of specific items such as gloves, boots, apron or full-body suit will depend on operation. Wash hands thoroughly after handling.

**RESPIRATORY PROTECTION REQUIREMENTS:**

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

**EXPOSURE GUIDELINES:**

No Information Available.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

FORM .....: Liquid  
COLOR .....: White  
ODOR .....: Faint Odor  
BOILING POINT .....: 212 F  
SOLUBILITY IN WATER .....: Miscible  
BULK DENSITY .....: 12.1 lbs/gallon  
MELTING/FREEZING POINT .....: 32 F  
VISCOSITY .....: 10,000 - 12,000 cps  
VOLATILE ORGANIC COMPOUNDS (VOC) ...: 0.13 lb/gallon

**10. STABILITY AND REACTIVITY**

**STABILITY:**

Stable.



(section 10 continued)

**POLYMERIZATION:**

Product will not undergo polymerization.

**INCOMPATIBILITY WITH OTHER MATERIALS:**

Some components may react with acids and basic materials to form ethanol.

**DECOMPOSITION:**

Decomposition will not occur if handled and stored properly.

**CONDITIONS TO AVOID:**

At temperatures above 150 C, small amounts of formaldehyde may be formed through oxidation from the silicone content of the substance.

**11. TOXICOLOGICAL INFORMATION**

No information available.

**12. ECOLOGICAL INFORMATION**

No information available.

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:**

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

**14. TRANSPORTATION INFORMATION**

PRODUCT LABEL .....: EraPerm  
D.O.T. SHIPPING NAME ...: N/A  
D.O.T. HAZARD CLASS ....: Non-Hazardous

**15. REGULATORY INFORMATION**

No information available.



**16. OTHER INFORMATION**

PREPARED BY .....: Laura Vollenweider  
APPROVED BY .....: Laura Vollenweider  
TITLE .....: Chemist  
APPROVAL DATE .....: March 9, 2004  
SUPERCEDES DATE ...: New  
MSDS NUMBER .....: acry00erperw055  
RTN NUMBER .....: 00000054 (Official Copy)

**ADDITIONAL INFORMATION:**

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

\*\*\*\*\*  
To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data in this MSDS relate only to the specific material designated herein. We do not assume liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

\*\*\*\*\*  
**END OF MSDS**  
\*\*\*\*\*

